





HUMAN SANITIZATION SYSTEM


STANDING AGAINST COVID 19





**WE TAKE THIS OPPORTUNITY TO INTRODUCE OURSELVES
AS ONE OF THE PREMIER MANUFACTURER AND
SUPPLIERS. RH AGENCY IS AN ISO 9001-2015 CERTIFIED
COMPANY.**

**IN THE WAKE OF THE WORLD-WIDE COVID-19 PANDEMIC,
R.H AGENCY BRINGS TO YOU A REVOLUTIONARY
SOLUTION.**



**THE HUMAN DISINFECTANT TUNNEL IS THE TOOL THAT
AIDS YOU IN THE FIGHT AGAINST COVID-19. IT HELPS YOU
PROTECT YOUR PEOPLE, THUS REDUCING THE CHANCE OF
AN INFECTION.**



WHAT IS HUMAN SANITIZATION SYSTEM?

It guarantees clothes hygiene of personnel before entering the production area. The disinfectant, which is applied automatically by pulverization method while passing through the machine, ensures that the clothes on the personnel are completely cleaned. The serious global situation (COVID-19) has led us to create a solution that can be of public value. It is like a tunnel for the hygiene and sanitization of people and items with an integrated hydraulic spray system capable of spraying any type of cleansers or sanitizers. The system contains the atomised liquid spray saturating the environment. In this way it is possible to sanitize all surface even those which are not directly exposed to the nozzles.



WHERE SHOULD WE USE HUMAN SANITIZATION SYSTEM?

- At entry points of man and material hospitals
- Healthcare centres and food & beverage industries
- Commercial industries, pharmaceutical industries, hotels and luxury resorts
- Commercial buildings, airports and railways
- Stations, automobile industries, police stations, prisons military units and custom areas
- Warehouses, residential societies, Schools and Educational Institutions and all religious establishments.



AVAILABLE VARIANTS

Features/Model	RHE1	RHB1	RHT1	RHU1
Frequency of person sanitized per refill	400	400	400	400
Easy to lift, Shift and Install	✓	✓	✓	✓
Power Input	220v	12v	12v/220v	12v/220v
Maintanance Free	✓	✓	✓	✓
Easy to refill	✓	✓	✓	✓
Scratch resistance	✓	✓	✓	✓
Cost Effective	✓	✓	✓	✓
Perfect for highly crowded Areas	✓	✓	✓	✓
Provision for sanitizer Bottle at entrance	✓	✓	✓	✓
Foot Operation	✓	✓	✓	✓
Cutt of Timer	✓	✓	✓	✓
Water Conservation	✓	✓	✓	✓
Temperature Sensor			✓	✓
Exhaust Fan			✓	✓
Lighting	LED	LED	LED	UV LED

Technical Specifications(Cabin)

Structure (LxWxH)	4ft x 4ft x 7 ft	4ft x 4ft x 7 ft	4ft x 4ft x 7 ft	4ft x 4ft x 7 ft
External Panelling	HPL	HPL	HPL	HPL
Roofing	HPL	HPL	HPL	HPL
Internal Panelling	N.A.	HPL	HPL	HPL
Entrance/Exit	PVC Curtain	PVC Curtain	PVC Curtain	PVC Curtain
Base Flooring			✓	✓

Technical Specifications(Humidifier)

Water Consumption (Ltr/Hr)	10	10	10	10
Control Method	Auto Manual	Auto Manual	Auto Manual	Auto Manual
Piping Material	CPVC	CPVC	CPVC	CPVC
Water Head in Humidifier	2	2	2	2

For more Enquires and Orders



**112; MAHALAXMI CLOTH MARKET
PANDRI, RAIPUR (C.G)
PH: 982612224/8085492124 ,
EMAIL: rhagency24@gmail.com ,
WEBSITE: www.rhagency.in**

